





SOUTHERN DIVISION

NAVAL FACILITIES ENGINEERING COMMAND 2155 EAGLE DR., P. O. BOX 10068 CHARLESTON, S. C. 29411-0068 NAVSTA Mayport Administrative Record Document Index Number

> 32228-000 19.01.00.0017

THE SIGNER OF THIS LETTER REFER TO: 5090 Code 18215

1 0 JUL 1991

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. James Scarborough, P.E., Chief RCRA and Federal Facilities Branch Waste Management Division U.S. Environmental Protection Agency Region IV 345 Courtland Street Atlanta. GA 30365

Subj: REQUEST FOR EXTENSION OF RESPONSE TIME TO RFI WORK PLAN COMMENTS FOR

NAVSTA MAYPORT, FL

Dear Mr. Scarborough:

We are in receipt of your letter of 6 May 1991, which provides review comments for the RCRA Facility Investigation (RFI) Work Plan of December 1991, and submitted to your office for Naval Station Mayport, Florida (I.D. #FL9 170 024 260). This work plan was submitted as required by Condition II.C.1 of the HSWA Permit for the facility.

Based on several conversations with Mr. Carl Froede of your staff and receipt of your letter, of 20 June 1991, the Navy agrees to the recommended phased approach and is requesting an extension of response time to submit a technically revised RFI Work Plan that will incorporate a Corrective Action Management Plan and schedule as outlined in your 20 June letter.

We request that the submittal date for the revised and ammended RFI Work Plan be extended to 30 October 1991. This additional time will be needed to develop, provided rationale, and integrate a Corrective Action Management Plan into the revised RFI Work Plan.

For any problems or questions, please contact Mr. Jim Reed, Code 18215, at (803) 743-0572.

Sincerely,

J. B. MALONE, JR. P.E. ACTING HEAD, REMEDIAL ACTIVITIES BRANCH

Copy to: NAVSTA Mayport FDER (Mr. Eric Nuzie) N42 -